

High Performance Industrial-Grade Dual Panel Dust Filtration



9X Industrial Sweeper



Kubota Powered LPG, gasoline, or diesel tier 4 engine

10000000

Armadillo

Agricultural Grade E-Coated Steel Weatherproof steel construction

Parker Hannifin Hoses & Eaton Hydraulic Pump Severe environment, industrial- grade components

All Hydraulic and Cable Functions No computer chip or microprocessor



Heavy Duty Filtration Dual "no tools change" synthetic panel filters and aggressive twin shaker motors **60''** (hopper empty height)

> **80.00"** (width – dual side brush model)

105.00" (length)



Power Flex Suspension Reduces operator fatigue and increases operator comfort



Operator and Environmental Safety Common industry options to maximize utilization



Industrial Longevity All steel construction and robust engineering



Severe Environment Reliability Performance in the harshest environments

*Machine photos may show options that are not included on the standard machine

Safety and Additional Machine Benefits

- Simple Operator Controls All hydraulic and cable connections
- Mobile Dumpster Hand collect large debris while sweeping
- Full View Debris Hopper Easily view when full or need to rotate
- Easy Maintenance No tools change brush









Common Safety Options Overhead guard, flashing light, and full enclosed cab as an option (MERV-17 HEPA shown) **81.00"** (height to top of overhead guard/cab)

55.50" (height to the top of the steering wheel) Maintenance Benefits

PowerSwing Full engine access for easy serviceability

See the 9X live



64.00" (width - single side sweep brush)



9X Industrial Sweeper

The PowerBoss 9x Sweeper provides consistent everyday dust free sweeping performance, unmatched operator reliability and the durability to handle the most severe environments.

64.00" (width - single side sweep brush)

9X PRODUCTIVITY		
Productivity	184,800 sq ft per hour	
SWEEPING SYSTEM		
Cleaning Path: Single Side Brush/Dual	64 in/80 in	
Main Sweeping Broom (length)	48 in	
Side Broom Diameter	26 in	
Hopper Size	22 ft	
Hopper Debris Weight Capacity	1,500 lbs	
Empty Height	Variable to 60 in	
Hopper Material	Agricultural Steel	
Filter Area	110 sq ft	
Filter Material	Dual Synthetic 0.5 Microns 99% Efficient	
MACHINE SPECIFICATIONS		
Length)	105 in	
Width/width with Second Side Brush	64 in/80 in	
Height to Steering Wheel	55.5 in	
With OHG/Cab	81 in	
Dry Weight	3500 lbs	
Minimum Aisle Turn	110 in	
Gradeability	16%	

ENGINE	
KUBOTA 1605 LPG	55 HP @ 3600 RPM/48.3 HP @ 3,000 RPM
KUBOTA 1605 Gas	57 HP @ 3600 RPM/49.6 HP @ 3,000 RPM
KUBOTA 1505 D (Tier 4)	24.8 HP @ 2,300 RPM
Gasoline, LPG, Diesel Oil Capacity	1.59 gal/6.0L
Block and Head Material	Cast Iron

PowerBoss Kubota Engine Advantage

- Cast iron engine block and head = less thermal stress
- No timing belts, pulleys or tensioners = protection from dirt and debris
- Kubota engine was built for the industrial customer, non-automotive design
- More oil capacity = more lubrication
- World renowned reliability and performance
- PowerBoss industry leading engine warranty



9X MDC HEPA Sweeper – Optional HEPA/MERV 17 Package

▶ 5 Stage Dust Control with HEPA Filter	▶ 9X MDC HEPA Sweeper	 MERV 17 HEPA 99.97% efficiency 	Vacuumiz side broor
POWERBOSS	POWE	RBOSS	POWERBOSS

PowerBoss World Headquarters 14N845 U.S. Route 20 Pingree Grove, IL 60140

